The **PHOENIX II** Phlebotomy Chair ★★★★★

THE PHOENIX II is a user-friendly phlebotomy chair that offers comfort, quality and durability all wrapped into a sleek European design. Continued advancements over its 40+ year history have helped to make the Phoenix II our most popular selling phlebotomy/apheresis chair both here in North America and in Europe. The "either-side operation" of this manually operated chair allows the seat to be easily positioned at any point along the chairs glide path from upright to Trendelenburg in seconds. The classic set of multi-positioning armrests will raise, lower, tilt and turn. They even move back allowing for easy ingress and egress.

STRUCTURE, COMFORT & SAFETY Heavy steel frame construction provides maximum strength and support for durability and decades of continual use. Front leg leveling pads and rear leg wheels allow for balance and easy movement. The upholstery consists of hi-grade comfort foam and premium medical grade vinyl in a variety of colors, all which meet the most stringent fire code and durability standards. Weight capacity 435 lbs./197 kg.

WARRANTY We provide a lifetime warranty on the frame and a 3-year comprehensive warranty on parts and craftsmanship under normal use. The best in the industry!

Product designs are subject to change without notice







THE PHOENIX II allows the donor to comfortably sit in a natural upright position while offering deep Trendelenburg positioning.

Smart engineering allows each of the three custom upholstery cushions to easily be replaced with the use of a single wrench.

EXTRAS

We include spare parts! Brake stop and brake pedal pads. Not that you will ever need them but it's always nice to know that you have extras.

NO ASSEMBLY REQUIRED

Each Phoenix II is thoroughly tested prior to shipping and comes completely assembled and ready to use.









PHONEIX II Phlebotomy Chair ****

Back height when upright	53" (135cm)
Lower leg height when upright	20" (51cm)
Length	55" (140cm)
Full reclining length	63" (160cm)
Full width with armrests parallel to chair	31.5" (80cm)
Cushion width	22.5" (57cm)
Base length and width	42"Lx22.5"W (106cmx57cm)
Armrest working height adjustability	33.5" - 37" (86cm—94cm)
Lowest point of seat cushion to floor	24.5" (65cm)
Armrest height from floor	34" to 39" (89cm—99cm)
Reclining movement	65°

Standard Equipment	Ref Code	
Armrests (2) - multi-positioning Headrest and foot area protection covers - replaceable	PII.US.01 \$4,995	
Options		
Instrument Tray - 12"x12" surface positions under the armrest for a blood scale/mixer or other apparatus & can be positioned on ei- ther side of chair	PH.IT.01 \$575	
Table with Stand- 12"x12". Technicianswriting table. Can be positioned on eitherside of chair	PH.TV.01 <mark>\$575</mark>	
Media Stand - Flat screen holder with post and mounting bracket. Can be positioned on either side of the chair.	PH.MS.01 <mark>\$575</mark>	
IV Pole - Height adjustable, mounts on either side of chair. Two mounts included.	PH.IV.01 <mark>\$385</mark>	ASTRIDGE International, Inc.
		90 Taylor Drive • Tonawanda, NY 14150 gary@astridge-intl.com.com Phone: 716.481.3162 AstridgeInternational.com